```
============================================================
Sequence Listing could not be accepted due to errors.
See attached Validation Report.
If you need help call the Patent Electronic Business Center at (866)
217-9197 (toll free).
Reviewer: markspencer
Timestamp: [year=2008; month=1; day=11; hr=17; min=2; sec=10; ms=804; ]
============================================================



*********************************************************
Reviewer Comments:
Please realign amino acid number so that it lines up with every fifth
amino acid.
*********************************************************
```

Application No: 10572522   Version No: 1.0

Input Set:

Output Set:

Started: 2007-12-18 14:57:25.234
Finished: 2007-12-18 14:57:26.071
Elapsed: 0 hr(s) 0 min(s) 0 sec(s) 837 ms
Total Warnings: 0
Total Errors: 5
No. of SeqIDs Defined: 1
Actual SeqID Count: 1

Error code	Error Description
E 323	Invalid/missing amino acid numbering SEQID (1)at Protein (20)
E 323	Invalid/missing amino acid numbering SEQID (1) POS (24)
E 323	Invalid/missing amino acid numbering SEQID (1)at Protein (25)
E 323	Invalid/missing amino acid numbering SEQID (1) POS (29)
E 323	Invalid/missing amino acid numbering SEQID (1)at Protein (30)

SEQUENCE LISTING

<110>   Andreas BERGMANN

<120>   METHOD FOR THE DIAGNOSIS OF DISEASES BY DETERMINING APOLIPOPROTEIN C-1

<130>   2582.011

<140>   10572522
<141>   2007-12-18

<150>   PCT/EP2004/09965
<151>   2004-09-07

<150>   DE 103 43 815.7
<151>   2003-09-22

<160>   1

<170>   PatentIn version 2.1

<210>   1
<211>   57
<212>   PRT
<213>   Homo sapiens

<400>   1

Thr Pro Asp Val Ser Ser Ala Leu Asp Lys Leu Lys Glu Phe Gly Asn
                  5   10   15

Thr Leu Glu Asp Lys Ala Arg Glu Leu Ile Ser Arg Ile Lys Gln Ser
                          20   25   30

Glu Leu Ser Ala Lys Met Arg Glu Trp Phe Ser Glu Thr Phe Gln Lys
            35   40   45

Val Lys Glu Lys Leu Lys Ile Asp Ser
        50   55